



ProQuatro Ordering Guide

MULTIPARAMETER WATER QUALITY FIELD INSTRUMENT

Step 1: Select Handheld

All handhelds include a rechargeable lithium-ion battery, hand strap, USB cable, universal AC charger, data export cable, Quick Start Guide, and a digital copy of the User Manual.

- **606950**: ProQuatro Handheld



ProQuatro Handheld

Step 2: Select Cable Assembly

All cables include temperature; cables over 1 meter include cable management kit; cables with conductivity include sensor (no need to order conductivity sensor)

1-Port Cable Assemblies

- **60510**: ISE* / temp cable; **1, 4, 10, 20**, or **30** meter length
*ISEs include pH, ORP, Ammonium, Nitrate, and Chloride
- **60520**: DO / temp cable; **1, 4, 10, 20, 30** or **100** meter* length
*Special order cables in 10-meter increments up to 100 meters available
- **60530**: Conductivity / temp cable; **1, 4, 10, 20**, or **30** meter length



1-Port

2-Port Cable Assemblies

- **6051010**: ISE / ISE / temp cable; **1, 4, 10, 20**, or **30** meter length
- **6051020**: ISE / DO / temp cable; **1, 4, 10, 20**, or **30** meter length
- **6051030**: ISE / conductivity / temp cable; **1, 4, 10, 20**, or **30** meter length
- **6052030**: DO / conductivity / temp cable; **1, 4, 10, 20**, or **30** meter length



2-Port

Quatro Cable Assembly

- **605790**: ISE / ISE / DO / conductivity / temp cable; **1, 4, 10, 20**, or **30** meter length




2-Port Conductivity

Integrated Sensor Cable Assemblies

- **605107**: pH sensor & cable; **1** meter length
- **605177**: pH sensor & cable; **4** meter length
- **605108**: ORP sensor & cable; **1** meter length
- **605178**: ORP sensor & cable; **4** meter length
- **605109**: pH/ORP sensor & cable; **1** meter length
- **605179**: pH/ORP sensor & cable; **4** meter length
- **605780**: Self-stirring BOD (1-meter cable included)



Quatro



Step 3: Select Sensor(s)

- 605202**: Galvanic DO
- 605203**: Polarographic DO
- 605101**: pH (ISE)
- 605102**: ORP (ISE)
- 605103**: pH/ORP combination (ISE)*
*Not recommended on 6051010 or 605790 cables. Only pH would appear.
- 605104**: Ammonium (ISE)
- 605105**: Chloride (ISE)
- 605106**: Nitrate (ISE)
- 605323**: Amplified pH Sensor (ISE)
- 605324**: Amplified pH/ORP Sensor (ISE)4*
*Not for use with Quatro cable.



No tools are required to install the sensors.



Polarographic DO Sensor



pH Sensor



Conductivity Standard



Zobell Standard



pH Buffer



Confidence Solution

Step 4: Select Standards

- 060907**: Conductivity calibrator, 1000 $\mu\text{s}/\text{cm}$ (8 ea, pint)
- 060911**: Conductivity calibrator, 10,000 $\mu\text{s}/\text{cm}$ (8 ea, pint)
- 060660**: Conductivity calibrator, 50,000 $\mu\text{s}/\text{cm}$ (8 ea, pint)
- 061320**: Zobell solution, ORP calibrator (125 mL)
- 061321**: Zobell solution, ORP calibrator (250 mL)
- 061322**: Zobell solution, ORP calibrator (500 mL)
- 003821**: pH 4 buffer (box of 6 pints)
- 003822**: pH 7 buffer (box of 6 pints)
- 003823**: pH 10 buffer (box of 6 pints)
- 603824**: pH buffer (2 pints each of 4, 7, and 10 buffer)
- 003841**: Ammonium cal solution, 1 mg/L (500 mL)
- 003842**: Ammonium cal solution, 10 mg/L (500 mL)
- 003843**: Ammonium cal solution, 100 mg/L (500 mL)
- 003885**: Nitrate standard, 1 mg/L (500 mL)
- 003886**: Nitrate standard, 10 mg/L (500 mL)
- 003887**: Nitrate standard, 100 mg/L (500 mL)
- 005580**: Confidence Solution® (Conductivity, pH, & ORP)*
*This solution is only for verification, not calibration.

Step 5: Select Accessories

- 603075:** Carrying case, soft-sided
- 603074:** Carrying case, hard-sided
- 603162:** Small carrying case, soft-sided
- 603059:** Flow cell for 1- or 2-port cables; 603078 adapter needed for 1-port cables
- 603077:** Flow cell kit, 1- or 2-port cables (includes 603059 & 603078)
- 603078:** Flow cell adapter, 1-port (used with 603059)
- 606850:** Flow cell for Quatro Cable
- 063507:** Tripod
- 063517:** Ultra clamp
- 603070:** Shoulder strap
- 603069:** Belt clip
- 603062:** Cable management kit
- 605978:** 4.9 oz weight - stackable on guard for use with 1-port or Quatro cables
- 626444:** Lab dock, holds meter and BOD probe



Hard-Sided Case



Cable Management Kit



Flow Cell Kit



Tripod



Use up to four sensors at once with the ProQuatro handheld and 4-port cable assembly.



Interested in ordering a system but still have questions?

Please use the contact information below. We will ensure the system you order is right for your application.



YSI, a Xylem brand
1725 Brannum Lane
Yellow Springs, OH 45387

- +1.937.767.7241
- info@ysi.com
- YSI.com

© 2020 Xylem, Inc. XA00092 0620



YSI.com/ProQuatro